## APPLICATION FOR FINANCIAL ASSISTANCE Revised 4/99

SCIP PROJECT

IMPORTANT: Please co	asult the "Instructions for	Completing the D		1 10000	
completion of this form.					
-		CB153	<u></u>	#12	
				# / _	
SUBDIVISION: City of	Cincinnati	ርብክፑ# (	061-15000		
•		_ CODE#7	<u>101-12000</u>		_
DISTRICT NUMBER: 2	COUNTY: <u>Hamil</u>	ton DATE_09	9 / 09 / 05		•
CONTACT: Curtis Hine (THE PROJECT CONTACT PERSON SHOULE AND SELECTION PROCESS AND WHO CAN I FAX (513) 352-1581	BEST ANSWER OF COORDINATE THE	AVAILABLE ON A DAY-TO-	·day basis during the s) 1 <b>nati-oh.goy</b>	E APPLICATION REVIEW	
PROJECT NAME: Rapi	d Run Road Improve	ments			
SUBDIVISION TYPE (Check Only 1) 1. County  X_2. City3. Township4. Village _5. Water/Sanitary District (Section 6119 O.R.C.)	FUNDING TYPE REC (Check All Requested & Enter Amou X_1. Grant \$ 840,0002. Loan \$	QUESTED	PROJECT TYI (Check Largest Compon X_1. Road2. Bridge/Culver3. Water Supply4. Wastewater5. Solid Waste6. Stormwater	neni) rt	
TOTAL PROJECT COST: \$_1,200,00			_		
	FUNDING REQU	ESTED: \$ <u>840.000</u>			
		Transpires Paren	Nasikatan perangan	erine Talatra alettika erineniako et	Marine .
	-	and the second that is second to			1,1
	DISTRICT RECOM	IMENDATION		<b>~</b> □	Ē
T	o be completed by the Dist	trict Committee O	NT V	≘ .	_ :
<i>~</i>	of the Dige	aret Countilitée O	NLI	79:52 -9 12:3:27	= :
GRANT: \$ <i>840,000</i> SCIP LOAN: \$ RLP LOAN: \$	LOAN ASSIST	'ANCE: ¢		□ €	= *
SCIP LOAN: \$	RATE: % TERM	·	<u> </u>	i s	
RLP LOAN: \$	RATE: % TERM	,yrs.		က ္	
	// IDICIT.	yrs.		·- =	
(Check Only 1)					-
State Capital Improvement Program	nSmall	l Government Progran	n	÷ j	-
Local Transportation Improvement	s Program			°r 27	-
HIGH STREET THE THE THE THE THE THE THE THE THE	Sala de la Maria de la Compania del Compania del Compania de la Co	t wilde Carlo Barrier Service Colonia - Carlo		7	_
	<u>作为中心。在2015年间,基本中的研究的是是是是</u>				2.
	FOR OPWC U	SE ONLY			
PROJECT NUMBER: C	/C	A DDD OX TO TO			
Local Participation %		APPROVED FU	NDING: \$		
OPWC Participation%		Loan Interest Ra	te:	%	
roject Release Date:/_/		Loan Term:		ears	
OPWC Approval:	<del>-</del> ,	maturity Date:			
rapprovate		Date Approved:	/ /		
		SCIP Loan	RLP Loan		

1.0	PROJECT FINANCIAL INFO	RMATION		
1.1	PROJECT ESTIMATED COST (Round to Nearest Dollar)	'S:	MBE Force	Account \$
a.)	Project Engineering Costs:			-
	1. Preliminary Engineering	\$00		
	2. Final Design	\$00		
	3. Other Engineer Services *	\$00		
	Supervision	\$00		
	Miscellaneous	\$00		
b.)	Acquisition Expenses:			
	1. Land	\$00		
	2. Right-of-Way	\$00		
c.)	Construction Costs:	\$ <u>1,098,820</u> . 00		
d.)	Equipment Purchased directly:	\$00		
e.)	Other Direct Expenses:	\$ 00	<u> </u>	
f.)	Contingencies:	\$ <u>101,180</u> . 00	<del></del>	
g.)	TOTAL ESTIMATED COSTS:	\$ <u>1,200,000</u> .00		
	(Round to Nearest Dollar and Percent)			
			%	
a.)	Local In-Kind Contributions	\$ 00		
b.)	Local Public Revenues	\$ <u>360.000</u> . 00	_30%	
c.)	Local Private Revenues	\$00		
d.)	Other Public Revenues			
	1. ODOT PID#	\$00	<u></u>	
	2. EPA/OWDA	\$00		
	3. OTHER:	\$00		
SUB T	TOTAL LOCAL RESOURCES:	\$ <u>360.000</u> . 00	_30%	
e.)	OPWC Funds			
<i>,</i>	1. Grant	\$ _840,000.00	<u>70%</u>	
	2. Loan	\$00	_ <del></del>	
	3. Loan Assistance	\$ .00		
SUB T	TOTAL OPWC RESOURCES:	\$00		
f.) TO Other	TAL FINANCIAL RESOURCES: Engineer's Services must be outlined in deta	S <u>1,200,000</u> . 00 il on the required certified enginee	<u>100%</u> r's estimate.	

#### 1.3 AVAILABILITY OF LOCAL FUNDS:

Attach a summary from the <u>Chief Financial Officer</u> listed in section 5.2 listing <u>all local share funds</u> budgeted for the project and the date they are anticipated to be available.

#### 2.0 PROJECT INFORMATION

IMPORTANT: If project is multi-jurisdictional, information must be consolidated in this section.

- 2.1 PROJECT NAME: Rapid Run Road Improvements
- 2.2 BRIEF PROJECT DESCRIPTION (Sections a through d):
  - a: SPECIFIC LOCATION:

Rapid Run Road from City of Cincinnati's western corporation limit (WCL) to Glenway Avenue.

PROJECT ZIP CODE: 45238

#### b: PROJECT COMPONENTS:

Street rehabilitation of Rapid Run from WCL to Glenway, widening the pavement to 40' from WCL to Nebraska and improving the southeast corner radius at Rapid Run and Overlook. Updating and reconstructing the traffic signals along Rapid Run at Covedale, Nebraska and Overlook.

The cost of the widening and the corner rounding is covered in the local match.

#### c: PHYSICAL DIMENSIONS / CHARACTERISTICS:

The length of the project is 5100 feet. The existing pavement width is 34 feet. The proposed pavement width from WCL to Nebraska is 40 feet.

#### d: DESIGN SERVICE CAPACITY:

IMPORTANT: Detail shall be included regarding current service capacity vs. proposed service level. If road or bridge project, include ADT. If water or wastewater project, include both current residential rates based on monthly usage of 7,756 gallon per household. Attach current rate ordinance.

ADT: 17.842

#### 2.3 USEFUL LIFE / COST ESTIMATE:

Project Useful Life: 20 Years.

Attach Registered Professional Engineer's statement, with <u>original seal and signature</u> certifying the project's useful life indicated above and estimated cost.

## 3.0 REPAIR/REPLACEMENT or NEW/EXPANSION:

TOTAL PORTION OF PROJECT REPAIR/REPLACEMENT State Funds Requested for Repair and Replacement	\$_1,080,000 90 % \$840,000 70 %
TOTAL PORTION OF PROJECT NEW/EXPANSION State Funds Requested for New and Expansion	\$ <u>120,000</u> <u>10</u> % \$ <u> </u>

## 4.0 PROJECT SCHEDULE: \*

		DEGIN DATE	END DATE
4.1	Engineering/Design:	<u>08 / 01 / 05</u>	<u>09 / 01 / 06</u>
4.2	Bid Advertisement:	<u>09/01/06</u>	12/31/06
4.3	Construction:	01/01/07	12 / 01 / 07

<sup>\*</sup> Failure to meet project schedule may result in termination of agreement for approved projects. Modification of dates must be approved in writing by the Commission once the Project Agreement has been executed. Dates should assume project agreement approval/release on July 1st of the Program Year applied for.

## 5.0 APPLICANT INFORMATION:

5.1	CHIEF EXECUTIVE OFFICER TITLE STREET  CITY/ZIP PHONE FAX E-MAIL	Scott Stiles Assistant City Manager Room 104, City Hall 801 Plum Street Cincinnati, Ohio 45202 (513) 352-3475 (513) 352-2458 scott.stiles@cincinnati-oh.gov
5.2	CHIEF FINANCIAL OFFICER TITLE STREET  CITY/ZIP PHONE FAX E-MAIL	William Moller Director of Finance Room 250, City Hall 801 Plum Street Cincinnati, Ohio 45202 (513) 352-6275 (513) 352-2370 bill.moller@cincinnati-oh.gov
5.3	PROJECT MANAGER TITLE STREET  CITY/ZIP PHONE FAX E-MAIL	Don Gindling, PE Principal Public Works Construction Engineer Room 340, City Hall 801 Plum Street Cincinnati, Ohio 45202 (513) 352-1518 (513) 352-1581 don.gindling@cincinnati-oh.gov

### 6.0 ATTACHMENTS/COMPLETENESS REVIEW:

Confirm in the blocks [ ] below that each item listed is attached.

- [ ] A certified copy of the legislation by the governing body of the applicant authorizing a designated official to sign and submit this application and execute contracts. This individual should sign under 7.0, Applicant Certification, below.
- [X] A certification signed by the applicant's chief financial officer stating <u>all local share</u> funds required for the project will be available on or before the dates listed in the Project Schedule section. If the application involves a request for loan (RLP or SCIP), a certification signed by the CFO which identifies a specific revenue source for repaying the loan also must be attached. Both certifications can be accomplished in the same letter.
- [X] A registered professional engineer's detailed cost estimate and useful life statement, as required in 164-1-13, 164-1-14, and 164-1-16 of the Ohio Administrative Code. Estimates shall contain an engineer's <u>original seal or stamp and signature</u>.
- [NA] A cooperation agreement (if the project involves more than one subdivision or district) which identifies the fiscal and administrative responsibilities of each participant.
- [NA] Projects which include new and expansion components <u>and</u> potentially affect productive farmland should include a statement evaluating the potential impact. If there is a potential impact, the Governor's Executive Order 98-VII and the OPWC Farmland Preservation Review Advisory apply.
- [ ] Capital Improvements Report: (Required by O.R.C. Chapter 164.06 on standard form)
- [X] Supporting Documentation: Materials such as additional project description, photographs, economic impact (temporary and/or full time jobs likely to be created as a result of the project), accident reports, impact on school zones, and other information to assist your district committee in ranking your project. Be sure to include supplements which may be required by your *local* District Public Works Integrating Committee.

## 7.0 APPLICANT CERTIFICATION:

The undersigned certifies that: (1) he/she is legally authorized to request and accept financial assistance from the Ohio Public Works Commission; (2) to the best of his/her knowledge and belief, all representations that are part of this application are true and correct; (3) all official documents and commitments of the applicant that are part of this application have been duly authorized by the governing body of the applicant; and, (4) should the requested financial assistance be provided, that in the execution of this project, the applicant will comply with all assurances required by Ohio Law, including those involving Buy Ohio and prevailing wages.

Applicant certifies that physical construction on the project as defined in the application has NOT begun, and will not begin until a Project Agreement on this project has been executed with the Ohio Public Works Commission. Action to the contrary will result in termination of the agreement and withdrawal of Ohio Public Works Commission funding of the project.

Scott Stiles, Assistant City Manager
Certifying Representative (Type or Print Name and Title)

Signature/Date Signed

September 9, 2005

Subject:

Rapid Run Road Improvement

Certification of Useful Life for OPWC Projects

As required by Chapter 164-1-13 of the Ohio Administrative Code, I hereby certify that the design useful life of the subject street improvement is at least twenty (20) years.

(seal)


Donald W. Rosemeyer, P.E. City Engineer City of Cincinnati

## State Issue 2 Application - Round 20 Rapid Run Road, Western Corp. Limit to Glenway

IFEM NO.   QUANTITIES   DESCRIPTION   PRICE   COST.			\$26,000			EOR INCH	
1   193.05	REE.	ITEM NO			DESCRIPTION	EST. UNIT	ESTIMATED
2   Special   2   Ees.   Special   2   Ees.   Special						,	
3   201							\$800
4   202   50   I.f.   Fence Removed   \$13,00   \$15     5   202   500   Is.y.   Pavament Removed   \$11,00   \$3,20     6   202   100   Is.y.   Pavament Removed   \$11,00   \$1,50     7   202   4   Is.   Intel Removed   \$30,00   \$1,50     9   203   100   Is.y.   Fence Removed   \$10,00   \$1,50     9   203   100   Is.y.   Intel Removed   \$30,00   \$1,00     10   204   1,00   Is.y.   Subgrade Compaction   \$30,00   \$3,00     11   204   1,00   Is.y.   Subgrade Compaction   \$30,00   \$5,00     12   251   90   Is.y.   Part. Depth Pavt. Repair, Concrete Pavament   \$50,00   \$5,00     13   251   90   Is.y.   Part. Depth Pavt. Repair, Flexible Pavament   \$30,00   \$3,10     14   282   430   Is.y.   Full Depth Replacement   \$30,00   \$3,10     15   253   760   Is.y.   Full Depth Replacement   \$30,00   \$3,10     15   253   760   Is.y.   Pavament Repair   \$4,00   \$3,10     16   263   760   Is.y.   Pavament Repair   \$4,00   \$3,10     17   284   760   Is.y.   Pavament Repair   \$4,00   \$3,10     18   301   201   Is.y.   Pavament Repair   \$4,00   \$3,10     19   303   750   Is.y.   Pavament Repair   \$4,00   \$3,10     19   304   201   Is.y.   Pavament Repair   \$4,00   \$3,10     20   305   750   Is.y.   Concrete Base   \$3,00   \$3,10     20   305   750   Is.y.   Concrete Base   \$3,00   \$3,10     21   448   675   Is.y.   Appatite Base   \$3,00   \$3,00     22   448   675   Is.y.   Appatite Base   \$3,00   \$3,00     23   602   5   Is.y.   Appatite Base   \$3,00   \$3,00     24   603   120   Is.y.   Appatite Growth Repair   \$3,00   \$3,00     25   35   35   35   35   35   35   35	3	201					\$8,700
6   202   100   E.Y.   Weering Course Removed, Butl Joints (Concrete Povement)   \$15,00   \$1,00   \$2						53.00	\$150
7   202						\$16.00	\$8,320
8   203   100   E.Y.   Externation   S15,00   S26,00							\$1,500
9   203   600   C.V.   Excavation   \$35.00   \$20.00   \$20.00   \$20.00   \$20.00   \$20.00   \$35.00   \$20.00   \$20.00   \$35.00   \$					· · · · · · · · · · · · · · · · · · ·		\$2,000
10   204   1,400   E.y.   Subgreds Compaction   \$2.00   \$2.86							\$1,000
11   204   10   hrs   Proof Rolling   \$60.00   \$50.01			1 400	c.y.			
13							
13							
14							
15							
16							
17							\$31,500
18   301   200   c.y.   Agphalf Concrete Base   \$30.00   \$50	17	254	200	s.y.			51,000
20   305   750   s.y.   Concrete Base   \$48.00   \$33,75					Asphalt Concrete Base		524,000
21						\$30,00	\$600
22							\$33,750
23   G02   5   C.y.   Brick Masonry   \$250.00   \$1.26							\$109,375
24         663         120 Id.         12 Conduit. Type "H"         \$50.00         \$50.00           25         663         56 Id.         15 Conduit. Type "H"         \$50.00         \$25.50           26         663         50 Id.         3 Conduit. Type "G"         \$15.00         \$75           27         664         2 e.s.         Marinble Adjusted to Grade WRIngs         \$15.00         \$75           28         604         15 les.         Marinble Adjusted to Grade WRIngs         \$375.00         \$5.52           29         604         2 les.         Marinble Repaired and Adjusted to Grade         \$500.00         \$5.52           29         604         1 les.         Marinble Repaired and Adjusted to Grade         \$500.00         \$4.53           31         604         1 les.         SGI Adjusted To Grade         \$450.00         \$4.53           31         604         1 les.         DGICI Repaired & Adjusted To Grade         \$450.00         \$7.53           33         604         1 les.         DGIC Repaired & Adjusted To Grade         \$50.00         \$7.50           35         604         1 les.         Inlets Repaired (Ditch or Curb) and Adjusted To Grade         \$400.00         \$2.55           36         804							\$109,375
25							\$1,250
26         603         50         I.I.         3' Conduit, Type 'G'         \$15,00         \$75           27         604         2         ea.         Manhole Adjusted to Grade W/O Rings         \$100,00         \$20           28         604         15         ea.         Manhole Adjusted to Grade         \$300,00         \$5,52           29         604         2         en.         Manhole Repaired and Adjusted to Grade         \$300,00         \$40           31         604         1         en.         SGI Adjusted To Grade         \$400,00         \$40           31         604         1         en.         SGI Adjusted To Grade         \$450,00         \$45           32         604         15         en.         DGICI Repaired To Grade         \$450,00         \$6,75           33         604         1         en.         DGICI Repaired To Grade         \$500,00         \$7,30           34         604         1         en.         DGICI Repaired & Adjusted To Grade         \$500,00         \$7,30           35         604         1         en.         DGICI Repaired & Adjusted To Grade         \$400,00         \$25           35         604         1         en.         DGICI Repaired &							
27							
29							
29							
30							
31							
32         604         15         ea.         DGI/CI Adjusted To Grade         \$450.00         \$57.50           33         604         15         ea.         DGI/CI Repaired & Adjusted To Grade         \$500.00         \$7.50           34         604         1         ea.         DGI Frame         \$250.00         \$250.00           35         604         4         ea.         DGI Frame         \$250.00         \$100.00           36         604         1         ea.         Inlets Repaired (Ditch or Curb) and Adjusted To Grade         \$400.00         \$400.00           37         604         30         ea.         Inlets Repaired (Ditch or Curb) and Adjusted To Grade         \$400.00         \$30.00         \$31.00           39         606         2         ea.         Anchor Assembly, Type T         \$750.00         \$1,500           40         606         300         I.f.         Gurd Ram         \$250.00         \$7.500           41         608         3.500         S.J.         Deletcable Warning, Type B         \$20.00         \$7.00           42         608         3.55         s.J.         Deletcable Warning, Type B         \$20.00         \$7.50           45         608         1,655 <td>31</td> <td>604</td> <td></td> <td></td> <td></td> <td></td> <td>\$450</td>	31	604					\$450
34         604         1         ea.         SGI Frame         \$250,00         \$250           35         604         4         ea.         Inlets Repaired (Ditch or Curb) and Adjusted To Grade         \$400,00         \$400           37         604         30         ea.         Inlets Grates         \$100,00         \$3,000           38         604         4         ea.         Combination Inlet (CI)         \$3,500,00         \$3,000           39         606         2         ea.         Anchor Assembly, Type T         \$750,00         \$1,500           40         606         300         I.f.         Guardrail, Type 5         \$25,00         \$7,500           41         608         3,500         J.         Curb Ramp         \$8,00         \$7,000           42         608         350         s.f.         Concrete Walk         \$5,50         \$5,700           43         608         1,550         s.f.         Concrete Curb Repair, Type P-4         \$20,00         \$7,000           45         609         1,200         I.f.         Concrete Curb Integral with Concrete Pavement, Type B-1         \$20,00         \$24,000           45         609         500         I.f.         Concrete Curb	32	604	15	ea.	DGI/CI Adjusted To Grade		56,750
Section   Sect			15	ea.	DGI/CI Repaired & Adjusted To Grade		\$7,500
36   604						\$250.00	\$250
37         604         30         ea.         Inlet Grales         \$100.00         \$3,000           38         604         4         ea.         Combination inlet (CI)         \$3,500.00         \$14,600           39         606         2         ea.         Anchor Assembly, Type T         \$750.00         \$1,600           40         606         300         I.f.         Guardrall, Type S         \$25.00         \$7,500           41         608         3,500         s.f.         Curb Ramp         \$8.00         \$7,000           42         608         350         s.f.         Curb Ramp         \$20.00         \$7,000           42         608         1,650         s.f.         Concrete Walk         \$5.50         \$9,075           44         609         1,200         I.f.         Concrete Curb Repair, Type P-4         \$20.00         \$24,000           45         609         1,200         I.f.         Concrete Curb Repair, Type P-4         \$20.00         \$24,000           45         609         1,200         I.f.         Concrete Curb Integral with Concrete Pavement, Type B-1         \$20.00         \$24,000           47         609         500.01         I.f.         Concrete Curb, Ty							\$1,000
38   604							\$400
39         606         2         ea.         Anchor Assembly, Type T         \$750.00         \$1,500           40         606         300 I.f.         Guardrail, Type 5         \$25.00         \$7,500           41         608         3,500         s.f.         Curb Ramp         \$8,00         \$28,000           42         608         350         s.f.         Detectable Warning, Type B         \$20,00         \$7,000           43         608         1,650         s.f.         Concrete Wark         \$55.50         \$9,077           44         609         1,200 I.f.         Concrete Curb Repair, Type P-4         \$20,00         \$24,000           45         609         1,200 I.f.         Concrete Curb Integral with Concrete Pavement, Type B-1         \$20,00         \$24,000           46         609         8,300 I.f.         Concrete Curb, Type S-1         \$20,00         \$166,000           47         609         500 I.f.         Concrete Curb, Type L-1         \$20,00         \$160,000           48         614         1         Lump Sum         Malntaining Traffic         \$30,000.00         \$30,000           50         619         1         Lump Sum         Field Office, Type A         \$55,000.00         \$55,000							\$3,000
40 606 300 I.I. Guardrall, Type 5 \$25.00 \$7,500 41 608 3,500 s.f. Curb Ramp \$8,00 \$28,000 42 60B 350 s.f. Detectable Warning, Type B \$20.00 \$7,000 43 608 1,550 s.f. Concrete Walk \$55.50 \$9,077 44 609 1,200 II.f. Concrete Walk \$55.50 \$9,077 44 609 1,200 II.f. Concrete Curb Repair, Type P-4 \$20.00 \$24,000 45 609 1,200 II.f. Concrete Curb Integral with Concrete Pavement, Type B-1 \$20.00 \$24,000 46 609 8,300 II.f. Concrete Curb, Type S-1 \$20.00 \$24,000 47 609 500 II.f. Concrete Curb, Type S-1 \$20.00 \$160,000 48 614 1 Lump Sum Maintaining Traffic \$30,000.00 \$30,000 50 619 1 1 Lump Sum Field Office, Type A \$50,000 \$50,000 50 619 1 Lump Sum Field Office, Type A \$50,000 \$50,000 51 621 130 ea. Ralsed Pavement Marker, High Profile Yellow-Yellow \$40.00 \$50,000 52 627 4,400 s.f. Concrete Drivaway \$60.00 \$26,400 53 627 250 s.f. Asphalt Driveway Repair \$55.00 \$12,500 54 628 100 II.f. Sawing Concrete 55 653 50 C.y. Topsoil Furnished & Placed \$25.00 \$30,000 57 1111 3 ea. Furnish & Install Valve Chamber Frame \$250.00 \$750 58 1111 3 ea. Furnish & Install Valve Chamber Frame \$250.00 \$750 59 1111 3 ea. Valve Chambers Adjusted to Grade Wi/Rings \$250.00 \$750 50 1125 8 ea. Resetting Existing Curb & Roadway Boxes \$250.00 \$1,750 50 1125 8 ea. Resetting Existing Curb & Roadway Boxes \$250.00 \$750 50 1125 9 ea. Resetting Existing Curb & Roadway Boxes \$250.00 \$1,750 50 50 50 50,000 \$1,750 50 50 50,000 \$1,750 50 50 50,000 \$1,750 50 50 50,000 \$1,750 50 50 50,000 \$1,750 50 50 50,000 \$1,750 50 50 50,000 \$1,750 50 50 50,000 \$1,750 50 50 50,000 \$1,750 50 50 50,000 \$1,750 50 50 50,000 \$1,750 50 50,000 \$250,000 50 500 500							
41         608         3,500         s.f.         Curb Ramp         \$8,00         \$28,000           42         608         350         s.f.         Detectable Warming, Type B         \$20,00         \$7,000           43         608         1,550         s.f.         Concrete Walk         \$55,50         \$9,775           44         609         1,200         l.f.         Concrete Curb Repair, Type P-4         \$20,00         \$24,000           45         609         1,200         l.f.         Concrete Curb, Type S-1         \$20,00         \$24,000           46         609         8,300         l.f.         Concrete Curb, Type S-1         \$20,00         \$16,000           47         609         500         l.f.         Concrete Curb, Type S-1         \$20,00         \$16,000           48         614         1         Lump Sum         Maintaining Traffic         \$30,000,00         \$30,000           49         614         100         hrs         Law Enforcement Officer with Patrol Car         \$60,00         \$5,000         \$5,000           51         621         130         ea.         Raised Pavement Marker, High Profile Yellow-Yellow         \$40,00         \$5,000         \$5,000         \$5,000         \$5,000							
42         608         350         s.f.         Detectable Warling, Type B         \$20.00         \$7,000           43         608         1,650         s.f.         Concrete Walk         \$55.50         \$9,077           44         609         1,200         l.f.         Concrete Curb Repair, Type P-4         \$20.00         \$24,000           45         609         1,200         l.f.         Concrete Curb Integral with Concrete Pavement, Type B-1         \$20.00         \$24,000           46         609         8,300         l.f.         Concrete Curb, Type S-1         \$20.00         \$166,000           47         609         500         l.f.         Concrete Curb, Type L-1         \$20.00         \$16,000           48         614         1         Lump Sum Maintaining Traffic         \$30,000,00         \$30,000           49         614         100         hrs         Law Enforcement Officer with Patrol Car         \$60.00         \$6,000           51         621         130         ea.         Ralsed Pavement Marker, High Profile Yellow-Yellow         \$5,000.00         \$5,200           52         627         4,400         s.f.         Concrete Drivway         \$5.00         \$26,400           53         627							
43         608         1,550         s.f.         Concrete Walk         \$5.50         \$9,073           44         609         1,200         l.f.         Concrete Curb Repair, Type P-4         \$20.00         \$24,000           45         609         1,200         l.f.         Concrete Curb, Type P-4         \$20.00         \$24,000           46         609         8,300         l.f.         Concrete Curb, Type L-1         \$20.00         \$166,000           47         609         500         l.f.         Concrete Curb, Type L-1         \$20.00         \$10,000           48         614         1         Lump Sum         Maintaining Traffic         \$30,000.00         \$30,000           50         619         1         Lump Sum         Field Office, Type A         \$5,000.00         \$5,000           51         621         130         ea.         Ralsed Pavement Marker, High Profile Yellow-Yellow         \$40.00         \$5,000         \$5,000           52         627         4,400         s.f.         Concrete Driveway         \$5,00         \$26,400         \$5,200         \$5,200         \$5,200         \$5,200         \$5,200         \$5,200         \$5,200         \$5,200         \$5,200         \$5,200         \$5,200							
44         609         1,200         I.f.         Concrete Curb Repeir, Type P-4         \$20.00         \$24,000           45         609         1,200         I.f.         Concrete Curb Integral with Concrete Pavement, Type B-1         \$20.00         \$24,000           46         609         8,300         I.f.         Concrete Curb, Type S-1         \$20.00         \$16,000           47         609         500         I.f.         Concrete Curb, Type L-1         \$20.00         \$16,000           48         614         1         Lump Sum         Maintaining Traffic         \$30,000.00         \$30,000           49         614         100         hrs         Law Enforcement Officer with Patrol Car         \$60.00         \$60.00         \$60.00         \$50,000         \$50,000         \$50.0							
45         609         1,200         I.f.         Concrete Curb Integral with Concrete Pavement, Type B-1         \$20.00         \$24,000           46         609         8,300         I.f.         Concrete Curb, Type S-1         \$20.00         \$166,000           47         609         500         I.f.         Concrete Curb, Type L-1         \$20.00         \$10,000           48         614         1         Lump Sum         Maintaining Traffic         \$30,000,00         \$30,000           49         614         100         hrs         Law Enforcement Officer with Patrol Car         \$60.00         \$6,000           50         619         1         Lump Sum         Field Office, Type A         \$5,000.00         \$5,000           51         621         130         ea.         Ralsed Pavement Marker, High Profile Yellow-Yellow         \$40.00         \$5,200           52         627         4,400         s.f.         Concrete Driveway         \$6,00         \$26,400           53         627         250         s.f.         Asphalt Driveway Repair         \$5,00         \$1,250           54         628         100         I.f.         Sawing Concrete         \$250         \$250           55         653							
46         609         8,300         I.f.         Concrete Curb, Type S-1         \$20.00         \$186,000           47         609         500         I.f.         Concrete Curb, Type L-1         \$20.00         \$10,000           48         614         1         Lump Sum         Maintaining Traffic         \$30,000.00         \$30,000           49         614         100         hrs         Law Enforcement Officer with Patrol Car         \$60.00         \$60.00           50         619         1         Lump Sum         Field Office, Type A         \$5,000.00         \$5,000           51         621         130         ea.         Ralsed Pavement Marker, High Profile Yellow-Yellow         \$40.00         \$5,000           52         627         4,400         s.f.         Concrete Driveway         \$6.00         \$26,400           53         627         250         s.f.         Asphalt Driveway Repair         \$5.00         \$1,250           54         628         100         I.f.         Sawing Concrete         \$250         \$255           55         653         50         c.y.         Topsoil Furnished & Placed         \$35,00         \$1,750           56         660         100         s.y.<	45	609					
47         609         500         I.f.         Concrete Curb, Type L-1         \$20.00         \$10,000           48         614         1         Lump Sum         Maintaining Traffic         \$30,000.00         \$30,000           49         614         100         hrs         Law Enforcement Officer with Patrol Car         \$60.00         \$6,000           50         619         1         Lump Sum         Field Office, Type A         \$5,000.00         \$5,000           51         621         130         ea.         Ralsed Pavement Marker, High Profile Yellow-Yellow         \$40.00         \$5,000         \$5,000           52         627         4,400         s.f.         Concrete Driveway         \$6.00         \$26,400           53         627         250         s.f.         Asphalt Driveway Repair         \$5.00         \$1,250           54         628         100         I.f.         Sawing Concrete         \$25.00         \$1,250           55         653         50         c.y.         Topsoil Furnished & Placed         \$35.00         \$1,750           56         660         100         s.y.         Sodding with Topsoil         \$8.00         \$800           57         1111         3	46	609	8,300	l.f.			\$166,000
49         614         100 Ihrs         Law Enforcement Officer with Patrol Car         \$60.00         \$6,000           50         619         1 Lump Sum         Field Office, Type A         \$5,000.00         \$5,000           51         621         130 ea.         Ralsed Pavement Marker, High Profile Yellow-Yellow         \$40.00         \$5,000           52         627         4,400 s.f.         Concrete Driveway         \$6.00         \$26,400           53         627         250 s.f.         Asphalt Driveway Repair         \$5.00         \$1,250           54         628         100 l.f.         Sawing Concrete         \$2.50         \$255           55         653         50 c.y.         Topsoil Furnished & Placed         \$35.00         \$1,250           56         660         100 s.y.         Sodding with Topsoil         \$8.00         \$800           57         1111         3 ea.         Furnish & Install Valve Chamber Frame         \$250.00         \$750           58         1111         3 ea.         Furnish & Install Valve Chamber Cover         \$150.00         \$350           59         1111         3 ea.         Valve Chambers Adjusted to Grade W/O Rings         \$250.00         \$750           60         1111							\$10,000
50         619         1         Lump Sum         Field Office, Type A         \$5,000.00							\$30,000
51         621         130         ea.         Ralsed Pavement Marker, High Profile Yellow-Yellow         \$40.00         \$52.00           52         627         4.400         sf.         Concrete Driveway         \$6.00         \$26,400           53         627         250         sf.         Asphalt Driveway Repair         \$5.00         \$1,250           54         628         100         I.f.         Sawing Concrete         \$2.50         \$255           55         653         50         c.y.         Topsoil Furnished & Placed         \$35,00         \$1,750           56         660         100         s.y.         Sodding with Topsoil         \$8.00         \$800           57         1111         3         ea.         Furnish & Install Valve Chamber Frame         \$250.00         \$750           58         1111         3         ea.         Furnish & Install Valve Chamber Cover         \$150.00         \$450           59         1111         3         ea.         Furnish & Install Valve Chamber Cover         \$150.00         \$750           60         1111         5         ea.         Valve Chambers Adjusted to Grade W/Rings         \$250.00         \$750           61         1111         2					Law Enforcement Officer with Patrol Car		56,000
52         627         4,400         s.f.         Concrete Driveway         \$6.00         \$25,400           53         627         250         s.f.         Asphalt Driveway Repair         \$5.00         \$1,250           54         628         100         l.f.         Sawing Concrete         \$2.50         \$25.00           55         663         50         c.y.         Topsoit Furnished & Placed         \$35.00         \$35.00           56         660         100         s.y.         Sadding with Topsoil         \$80.00         \$80.00           57         1111         3         ea.         Furnish & Install Valve Chamber Frame         \$250.00         \$750           58         1111         3         ea.         Furnish & Install Valve Chamber Frame         \$150.00         \$450           59         1111         3         ea.         Furnish & Install Valve Chamber Section Wikings         \$250.00         \$750           59         1111         5         ea.         Valve Chambers Adjusted to Grade Wi/Rings         \$250.00         \$750           60         1111         5         ea.         Valve Chambers Repaired and Adjusted to Grade         \$1,000.00         \$2,000           61         1111							\$5,000
53         627         250         s.f.         Asphalt Driveway Repair         \$5.00         \$1,250           54         628         100         I.f.         Sawing Concrete         \$2.50         \$250           55         653         50         c.y.         Topsoil Furnished & Placed         \$35.00         \$1,750           56         660         100         s.y.         Sodding with Topsoil         \$8.00         \$800           57         1111         3         ea.         Furnish & Install Valve Chamber Frame         \$250.00         \$750           58         1111         3         ea.         Furnish & Install Valve Chamber Cover         \$150.00         \$450           59         1111         3         ea.         Valve Chambers Adjusted to Grade W/O Rings         \$250.00         \$750           60         1111         5         ea.         Valve Chambers Adjusted to Grade W/O Rings         \$350.00         \$1,750           61         1111         2         ea.         Valve Chambers Repaired and Adjusted to Grade         \$1,000.00         \$2,000           62         1125         8         ea.         Resetting Existing Valve Boxes Complete         \$150.00         \$1,200           63         1125<							
54         628         100 I.f.         Sawing Concrete         \$2.50         \$255           55         653         50 c.y.         Topsolf Furnished & Placed         \$35.00         \$1,750           56         660         100 s.y.         Sodding with Topsoil         \$8.00         \$800           57         1111         3 ea.         Furnish & Install Valve Chamber Frame         \$250.00         \$750           58         1111         3 ea.         Furnish & Install Valve Chamber Cover         \$150.00         \$450           59         1111         3 ea.         Valve Chambers Adjusted to Grade W/Rings         \$250.00         \$750           60         1111         5 ea.         Valve Chambers Adjusted to Grade W/O Rings         \$350.00         \$1,750           61         1111         2 ea.         Valve Chambers Repaired and Adjusted to Grade         \$1,000.00         \$2,000           62         1125         8 ea.         Resetting Existing Valve Boxes Complete         \$150.00         \$1,200           63         1125         2 ea.         Furnish & Install Valve Box Casting         \$250.00         \$500           64         1132         2 ea.         Resetting Existing Curb & Roadway Boxes         \$200.00         \$400 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>							
55         653         50         c.y.         Topsolf Furnished & Placed         \$35.00         \$1,750           56         660         100         s.y.         Sodding with Topsoil         \$8.00         \$800           57         1111         3         ea.         Furnish & Install Valve Chamber Frame         \$250.00         \$750           58         1111         3         ea.         Furnish & Install Valve Chamber Cover         \$150.00         \$450           59         1111         3         ea.         Valve Chambers Adjusted to Grade W/Rings         \$250.00         \$750           60         1111         5         ea.         Valve Chambers Adjusted to Grade W/O Rings         \$350.00         \$1,750           61         1111         2         ea.         Valve Chambers Repaired and Adjusted to Grade         \$1,000.00         \$2,000           62         1125         8         ea.         Resetting Existing Valve Boxes Complete         \$150.00         \$1,200           63         1125         2         ea.         Furnish & Install Valve Box Casting         \$250.00         \$500           64         1132         2         ea.         Resetting Existing Curb & Roadway Boxes         \$200.00         \$400		000					
56         660         100         s.y.         Sodding with Topsoil         \$8.00         \$800           57         1111         3         ea.         Furnish & Install Valve Chamber Frame         \$250.00         \$750           58         1111         3         ea.         Furnish & Install Valve Chamber Cover         \$150.00         \$450           59         1111         3         ea.         Valve Chambers Adjusted to Grade W/Rings         \$250.00         \$750           60         1111         5         ea.         Valve Chambers Adjusted to Grade W/O Rings         \$350.00         \$1,750           61         1111         2         ea.         Valve Chambers Repaired and Adjusted to Grade         \$1,000.00         \$2,000           62         1125         8         ea.         Resetting Existing Valve Boxes Complete         \$150.00         \$1,200           63         1125         2         ea.         Furnish & Install Valve Box Casting         \$250.00         \$500           64         1132         2         ea.         Resetting Existing Curb & Roadway Boxes         \$200.00         \$400           65         Special         3         ea.         Traffic Signal         \$55,000.00         \$55,000 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>							
57         1111         3 ea.         Furnish & Install Valve Chamber Frame         \$250.00         \$750           58         1111         3 ea.         Furnish & Install Valve Chamber Cover         \$150.00         \$450           59         1111         3 ea.         Valve Chambers Adjusted to Grade W/Rings         \$250.00         \$750           60         1111         5 ea.         Valve Chambers Adjusted to Grade W/O Rings         \$350.00         \$1,750           61         1111         2 ea.         Valve Chambers Repaired and Adjusted to Grade         \$1,000.00         \$2,000           62         1125         8 ea.         Resetting Existing Valve Boxes Complete         \$150.00         \$1,200           63         1125         2 ea.         Furnish & Install Valve Box Casting         \$250.00         \$500           64         1132         2 ea.         Resetting Existing Curb & Roadway Boxes         \$200.00         \$400           65         Special         3 ea.         Traffic Signal         \$55,000.00         \$55,000           66         Special         1 Lump Sum         Traffic Control - Signing and Striping         \$50,000.00         \$50,000			100	S.V.			
58         1111         3 ea.         Furnish & Install Valve Chamber Cover         \$150.00         \$450           59         1111         3 ea.         Valve Chambers Adjusted to Grade W/Rings         \$250.00         \$750           60         1111         5 ea.         Valve Chambers Adjusted to Grade W/O Rings         \$350.00         \$1,750           61         1111         2 ea.         Valve Chambers Repaired and Adjusted to Grade         \$1,000.00         \$2,000           62         1125         8 ea.         Resetting Existing Valve Boxes Complete         \$150.00         \$1,200           63         1125         2 ea.         Furnish & Install Valve Box Casting         \$250.00         \$500           64         1132         2 ea.         Resetting Existing Curb & Roadway Boxes         \$200.00         \$400           65         Special         3 ea.         Traffic Signal         \$65,000.00         \$195,000           66         Special         1 Lump Sum         Traffic Control - Signing and Striping         \$50,000.00         \$50,000							
59         1111         3 ea.         Valve Chambers Adjusted to Grade W/Rings         \$250.00         \$750           60         1111         5 ea.         Valve Chambers Adjusted to Grade W/O Rings         \$350.00         \$1,750           61         1111         2 ea.         Valve Chambers Repaired and Adjusted to Grade         \$1,000.00         \$2,000           62         1125         8 ea.         Resetting Existing Valve Boxes Complete         \$150.00         \$1,200           63         1125         2 ea.         Furnish & Install Valve Box Casting         \$250.00         \$500           64         1132         2 ea.         Resetting Existing Curb & Roadway Boxes         \$200.00         \$400           65         Special         3 ea.         Traffic Signal         \$65,000.00         \$195,000           66         Special         1 Lump Sum         Traffic Control - Signing and Striping         \$50,000.00         \$50,000							S450
60         1111         5         ea.         Valve Chambers Adjusted to Grade W/O Rings         \$350.00         \$1,750           61         1111         2         ea.         Valve Chambers Repaired and Adjusted to Grade         \$1,000.00         \$2,000           62         1125         8         ea.         Resetting Existing Valve Boxes Complete         \$150.00         \$1,200           63         1125         2         ea.         Furnish & Install Valve Box Casting         \$250.00         \$500           64         1132         2         ea.         Resetting Existing Curb & Roadway Boxes         \$200.00         \$400           65         Special         3         ea.         Traffic Signal         \$55,000.00         \$195,000           66         Special         1         Lump Sum         Traffic Control - Signing and Striping         \$50,000.00         \$50,000	59						\$750
61         1111         2 ea.         Valve Chambers Repaired and Adjusted to Grade         \$1,000.00         \$2,000           62         1125         8 ea.         Resetting Existing Valve Boxes Complete         \$150.00         \$1,200           63         1125         2 ea.         Furnish & Install Valve Box Casting         \$250.00         \$500           64         1132         2 ea.         Resetting Existing Curb & Roadway Boxes         \$200.00         \$400           65         Special         3 ea.         Traffic Signal         \$55,000.00         \$195,000           66         Special         1 Lump Sum         Traffic Control - Signing and Striping         \$50,000.00         \$50,000			5	ea,			\$1,750
63         1125         2         ea.         Furnish & Install Valve Box Casting         \$250.00         \$500           64         1132         2         ea.         Resetting Existing Curb & Roadway Boxes         \$200.00         \$400           65         Special         3         ea.         Traffic Signal         \$65,000.00         \$195,000           66         Special         1         Lump Sum         Traffic Control - Signing and Striping         \$50,000.00         \$50,000							\$2,000
64         1132         2         ea.         Resetting Existing Curb & Roadway Boxes         \$200.00         \$400           65         Special         3         ea.         Traffic Signal         \$65,000.00         \$195,000           66         Special         1         Lump Sum         Traffic Control - Signing and Striping         \$50,000.00         \$50,000							51,200
65         Special         3 ea.         Traffic Signal         \$55,000.00         \$195,000           66         Special         1 Lump Sum   Traffic Control - Signing and Striping         \$50,000.00         \$50,000							5500
66 Special 1 Lump Sum Traffic Control - Signing and Striping \$50,000.00 \$50,000							\$400
							\$195,000
UNOFFICIAL TOTAL \$1,098,820	00	Special	7	Lump Sum (	Traffic Control - Signing and Striping		
				1		UNUFFICIAL TOTAL	\$1,098,8201

CONTINGENCY \$101,180 ENGINEER ESTIMATE \$1,200,000

Curtis A. Hines, P.E. Senior Engineer



# City of Cincinnati



Department of Finance

Suite 250, City Hall 801 Plum Street Cincinnati, Ohio 45202 Phone (513) 352-3731 Fax (513) 352-2370

William E. Moller

September 9, 2005

Mr. Lawrence Bicking, Director Ohio Public Works Commission 65 East State Street, Suite 312 Columbus, Ohio 43215

RE: Status of Funds for Local Share of 2006 SCIP/LTIP Project Grants

Dear Mr. Bicking:

We will include the local shares for selected 2006 SCIP/LTIP Projects (Round 20 Funding) in the City Manager's recommended 2006 Capital Improvement Program. The eight projects submitted are:

#### STREET REHABILITATION PROJECT

McMillan Street - Central Parkway to Ravine Street

#### STREET REHABILITATION AND IMPROVEMENT PROJECT

Rapid Run Road - Glenway Avenue to West Corporation Line near Covedale Avenue

### PIER WALL AND STREET REHABILITATION PROJECT

Glenview Avenue – Kirby Avenue to Belmont Avenue

#### STREET IMPROVEMENT PROJECTS

Hamilton Avenue – South Ridge Drive (formerly Windemere Drive) to Groesbeck Road Riverside Drive (Formerly Eastern Avenue) – Eggleston Avenue to Bains Place

#### BRIDGE REPLACEMENT PROJECTS

Center Hill Avenue Bridge over Millcreek Kennedy Avenue Bridge over NS Railroad

#### BRIDGE REHABILITATION PROJECT

Eighth Street Viaduct – Burns Street to McLean Street

#### Page 2 Status of Funds for Local Share of 2006 SCIP/LTIP Project Grants

We expect to finance the local share for these projects from Street Improvement Bonds and Cincinnati Southern Railway lease proceeds. Additional matching funds are expected from the Ohio Department of Transportation and the Municipal Road Fund.

If you have any questions or need additional information regarding these projects, please contact me at 513-352-6275.

Sincerely,

William E. Moller

Director of Finance

cc: S. Stiles, Assistant City Manager

C. Sigman, Budget

William E. Moller/surga

E. Enabnit, Transportation & Engineering

D. Rosemeyer, Engineering

K. Conn, Engineering

J. Vogel, Engineering

J. Buttner, Engineering

J. Brazina, Engineering

G. Long, Engineering

C. Ertel, Engineering

C. Hines, Engineering

D. Cline, Engineering


Rapid Run Road - Improvement


## CERTIFICATION OF TRAFFIC COUNT


As required by the District 2 Integrating Committee, I hereby certify that the traffic counts herein attached to the **Rapid Run Improvements** project application are a true and accurate count done by the City of Cincinnati's Traffic Engineering Division.

Stephen I. Niemeier, P.E. Principal Traffic Engineer









## ADDITIONAL SUPPORT INFORMATION

For Program Year 2006 (July 1, 2006 through June 30, 2007), jurisdictions shall provide the following support information to help determine which projects will be funded. Information on this form must be accurate, and where called for, based on sound engineering principles. Documentation to substantiate the individual items, as noted, is required. The applicant should also use the rating system and its' addendum as a guide. The examples listed in this addendum are not a complete list, but only a small sampling of situations that may be relevant to a given project.

IF YOU ARE APPLYING FOR A GRANT, WILL YOU BE WILLING TO ACCEPT A LOAN IF ASKED BY THE DISTRICT? \_\_\_\_\_YES \_\_X\_\_NO (ANSWER REQUIRED)

Note: Answering "Yes" will not increase your score and answering "NO" will not decrease your score.

#### 1) What is the physical condition of the existing infrastructure that is to be replaced or repaired?

Give a statement of the nature of the deficient conditions of the present facility exclusive of capacity, serviceability, health and/or safety issues. If known, give the approximate age of the infrastructure to be replaced, repaired, or expanded. Use documentation (if possible) to support your statement. Documentation may include (but is not limited to): ODOT BR86 reports, pavement management condition reports, televised underground system reports, age inventory reports, maintenance records, etc., and will only be considered if included in the original application. Examples of deficiencies include: structural condition; substandard design elements such as widths, grades, curves, sight distances, drainage structures, etc.

The physical condition of the pavement is poor due to cracking, rutting, potholes and utility cuts. The pavement requires moderate full depth, partial depth, and curb repair. The pavement was last rehabilitated in 1983. The signals at Rapid Run and Overlook and Covedale are in critical condition. The whole signal system needs to be replaced and upgraded. The signal at Covedale was built in 1964 and the signal at Overlook was built in 1969. Attached are service requests for repairs along Rapid Run.

#### 2) How important is the project to the safety of the Public and the citizens of the District and/or service area?

Give a statement of the projects effect on the safety of the service area. The design of the project is intended to reduce existing accident rate, promote safer conditions, and reduce the danger of risk, liability or injury. (Typical examples may include the effects of the completed project on accident rates, emergency response time, fire protection, and highway capacity.) Please be specific and provide documentation if necessary to substantiate the data. The applicant must demonstrate the type of problems that exist, the frequency and severity of the problems and the method of correction.

The project will have considerably significant importance to the Public. The proposed improvement will eliminate the bottleneck on Rapid Run immediately east of the Covedale Avenue intersection thus reducing rear-end and sideswipe accidents in the substandard merging area. The improvement will construct an additional lane that starts at Covedale Avenue and will end at Nebraska Avenue becoming a right turn only. In addition the existing signal has reached its useful life and is not functioning consistently (see complaints), going to flash and not working at all leading to congestion that precipitates some of the documented accidents. The attached accident data and complaint logs clearly demonstrate the frequency and severity of the safety problems. The proposed improvement will rectify the problems by rebuilding the signals and constructing the additional lane.

7

3) How important is the project to the health of the Public and the citizens of the District and/or service area?
Give a statement of the projects effect on the health of the service area. The design of the project will improve the overall condition of the facility so as to reduce or eliminate potential for disease, or correct concerns regarding the environmental health of the area. (Typical examples may include the effects of the completed project by improving or adding storm drainage or sanitary facilities, replacing lead jointed water lines, etc.). Please be specific and provide documentation if necessary to substantiate the data. The applicant must demonstrate the type of problems that exist, the frequency and severity of the problems and the method of correction.  The proposed project has no measurable impact to the health of the Public.
4) Does the project help meet the infrastructure repair and replacement needs of the applying jurisdiction?
The jurisdiction must submit a listing in priority order of the projects for which it is applying. Points will be awarded on the basis of most to least importance.
Priority 1Rapid Run Road Improvement
Priority 2 Glenview Avenue Pier Wall and Street Rehabilitation
Priority 3Hamilton Avenue Improvement
Priority 4McMillan Street Rehabilitation
Priority 5 Riverside Drive Improvements
5) To what extent will the user fee funded agency be participating in the funding of the project?  (example: rates for water or sewer, frontage assessments, etc.).
6) Economic Growth – How will the completed project enhance economic growth
Give a statement of the projects effect on the economic growth of the service area (be specific).  The proposed project will have minimal impact on economic growth.

## 7) Matching Funds - LOCAL

The information regarding local matching funds is to be filed by the applicant in Section 1.2 (b) of the Ohio Public Works Association's "Application For Financial Assistance" form.

8) Matching Funds - OTHER						
The information regarding local matching funds is to be file Works Association's "Application For Financial Assistance" f MRF application must have been filed by August 31st of this Office. List below all "other" funding the source(s).	orm. If N	MRF fund	ls are bei	ing used t	for matching funds,	th
9) Will the project alleviate serious capacity problems district?	or respo	nd to th	e future	level of	service needs of t	h
Describe how the proposed project will alleviate serious capa The proposed improvement will meet current					e bottleneck th	a
currently occurs in the eastbound direction on	Rapid	Run e	ast of	Coveda	ale Avenue. T	h
proposed additional lane between Covedale and	Nebra	ska wil	l ease c	ongest	ion at Rapid Ru	Ш
and Covedale during peak hours.						
						_
For roadway betterment projects, provide the existing and pr methodology outlined within AASHTO'S "Geometric Design of Manual.	oposed 1 of Highw	Level of ays and S	Service ( Streets" a	(LOS) of nd the 19	f the facility using to 185 Highway Capac	ihe ity
Existing LOS Proposed LOS _	· · <u>-</u>	<del></del>				
If the proposed design year LOS is not "C" or better, explain w	hy LOS '	'C" canno	ot be ach	ieved.		
						_
						_
10) If SCIP/LTIP funds were granted, when would the con	ctruction	ı contrac	t be aw	ardod?		
If SCIP/LTIP funds are awarded, how soon after receiving the lof the year following the deadline for applications) would the particular status reports of previous projects to help judge the accuracy of	Project A project be	greemen e under c	t from O	PWC (ter The Sup	port Staff will revie	r 1
Number of months2						
a.) Are preliminary plans or engineering completed?	Yes	X	_ No _		N/A	
b.) Are detailed construction plans completed?	Yes		_ No _	X	N/A	
c.) Are all utility coordination's completed?	Yes		_ No _	X	N/A	_
1.) Are all right-of-way and easements acquired (if applicable)?	Yes	<del></del>	_ No _		N/A <b>X</b>	
If no, how many parcels needed for project?	_ Of thes	e, how m	any are:	Takes		
				Tempora	ıry	_

Permanent		
For any parcels not yet acquired, explain the status of the ROW acquisition process for this project.		
e.) Give an estimate of time needed to complete any item above not yet completed6Months		
11) Does the infrastructure have regional impact?		
Give a brief statement concerning the regional significance of the infrastructure to be replaced, repaired, or expanded.  This improvement will have a significant impact on the infrastructure of the area. Rapic		
Run is classified as a minor arterial that provides a connection between the City of Cincinnat		
and the County roads that carries a large volume of traffic.		
12) What is the overall economic health of the jurisdiction?		
The District 2 Integrating Committee predetermines the jurisdiction's economic health. The economic health of a furisdiction may periodically be adjusted when census and other budgetary data are updated.		
13) Has any formal action by a federal, state, or local government agency resulted in a partial or complete bar of the usage or expansion of the usage for the involved infrastructure?		
Describe what formal action has been taken which resulted in a ban of the use of or expansion of use for the involved infrastructure? Typical examples include weight limits, truck restrictions, and moratoriums or limitations on issuance of suilding permits, etc. The ban must have been caused by a structural or operational problem to be considered valid Submission of a copy of the approved legislation would be helpful.  No ban		
Will the ban be removed after the project is completed? Yes No N/A		
4) What is the total number of existing daily users that will benefit as a result of the proposed project?		
For roads and bridges, multiply current Average Daily Traffic (ADT) by 1.20. For inclusion of public transit, submit documentation substantiating the count. Where the facility currently has any restrictions or is partially closed, use documented traffic counts prior to the restriction. For storm sewers, sanitary sewers, water lines, and other related accilities, multiply the number of households in the service area by 4. User information must be documented and ertified by a professional engineer or the jurisdictions' C.E.O.		
Traffic: ADT <u>17.842</u> X 1.20 = <u>21.410</u> Users		
Vater/Sewer: Homes X 4.00 = Users		

The applying jurisdiction shall list what type of fees, levies or taxes they have dedicated toward the type of infrastructure being applied for. (Check all that apply)
Optional \$5.00 License Tax X
Infrastructure Levy X Specify type Dedicated portion of City earnings tax
Facility Users Fee Specify type
Dedicated Tax Specify type
Other Fee, Levy or Tax Specify type

15) Has the jurisdiction enacted the optional \$5 license plate fee, an infrastructure levy, a user fee, or

dedicated tax for the pertinent infrastructure?

## SCIP/LTIP PROGRAM ROUND 20 - PROGRAM YEAR 2006 PROJECT SELECTION CRITERIA JULY 1, 2006 TO JUNE 30, 2007

NAME OF APPLI	CANT: CINCINDATI
NAME OF PROJE	ECT: RAPID RUN ROAD IMPROVEMENTS
RATING TEAM:	3

## General Statement for Rating Criteria

Points awarded for all items will be based on engineering experience, field verification, application information and other information supplied by the applicant, which is deemed to be relevant by the Support Staff. The examples listed in this addendum are not a complete list, but only a small sampling of situations that may be relevant to a given project.

#### CIRCLE THE APPROPRIATE RATING

1) What is the physical condition of the existing infrastructure that is to be replaced or repaired?

25 - Failed

23 - Critical

20 - Very Poor

17 - Poor

(15) Moderately Poor

10 - Moderately Fair

5 - Fair Condition

0 - Good or Better

Appeal Score

2.27.20 DIV

#### Criterion 1 - Condition

Condition of the particular infrastructure to be repaired, reconstructed or replaced shall be a measure of the degree of reduction in condition from its original state. Capacity, serviceability, safety and health shall not be considered in this criterion. Any documentation the Applicant wishes to be considered must be included in the application nackage.

#### **Definitions:**

Failed Condition -requires complete reconstruction where no part of the existing facility is salvageable. (E.g. Roads: complete reconstruction of roadway, curbs and base: Bridges: complete removal and replacement of bridge; Underground removal and replacement of an underground drainage or water system. Taking and the second garden by the great field of the contraction of

Critical Condition - requires partial reconstruction to maintain integrity. (E.g. Runds: reconstruction of roadway/curbs can be saved; Bridges: removal and replacement of bridge with abutment modification. Undargonard removal and replacement of part of an underground drainage or water system.

Very Poor Condition - requires extensive rehabilitation to maintain integrity. (E.g. Roads: extensive full depth, partial depth and curb repair of a roadway with a structural overlay; Bridges: superstructure replacement; Underground: repair of prints and/or replacement of pipe sections.

Poor Condition - requires standard rehabilitation to maintain integrity. (E.g. Roads: moderate full depth, partial depth and curb repair to a roadway with no structural overlay needed or structural overlay with minor repairs to a roadway needed; Bridges; extensive patching of substructure and replacement of deck; Underground: insituform or other in ground repairs.

Moderately Poor Condition - requires minor rehabilitation to maintain integrity. (E.g. Roads: minor full depth, partial depth or curb repairs to a roadway with either a thin overlay or no overlay needed; Bridges: major structural patching and/or major deck repair.

Moderately Fair Condition - requires extensive maintenance to maintain integrity. (E.g. Roads: thin or no overlay with extensive crack sealing, minor partial depth and/or slurry or rejuvenation; Bridges: minor structural patching, deck repair, erosion control.)

Fair Condition - requires routine maintenance to maintain integrity. (E.g. Roads: slurry seal, rejuvenation or routine crack sealing to the roadway; Bridges: minor structural patching.)

Good or Better Condition - little to no maintenance required to maintain integrity.

Note: If the infrastructure is in "good" or better condition, it will NOT be considered for SCIP/LTIP funding unless it is an expansion project that will improve serviceability.

			istrict and/or service area?
	ficant importance y significant importance		Appeal Score
15 Moderate im		(3	
10 - Minimal imp			
	mented importance		
0 - No measur	able impact	•	
cited? Have they in water lines, is the p	Ill include in its application the ty t would improve the situation. nvolved injuries or fatalities? In present capacity inadequate to pr	For example, have there been the case of water systems, are ovide volumes or pressure for	the safety problem that currently exists and how vehicular accidents attributable to the problems existing hydrants non-functional? In the case of adequate fire protection? In all cases, specific hall not receive more than 5 points.
Nate: Each project are NOT intended to	t is looked at on an individual bao be exclusive.	asis to determine if any aspects	s of this category apply. Examples given above
How important is th	e project to the <u>health</u> of the Pu	ıblic and the citizens of the Di	strict and/or service area?
25 - Highly signif	icant importance		Appeal Score
	significant importance	(S) · · ·	Appear ocore
15 - Moderate imp			
10 - Minimal impe			
	iented importance		
(0) No measurable	le impact		
Criterion 3 – Health			
The jurisdiction shall reduced by the intend satisfactory? If bases case of underground improve health or red	include in its application the type in project. For example, can the ment flooding has occurred, was improvements, how will they im	e problem be eliminated only b it storm water or sanitary flow' prove health if they are storm :	the health problem that would be eliminated or by the project, or would routine maintenance be? What complaints if any are recorded? It the sewers? How would improved sometry sewers quired. Mentioned problems, which are poorly
Nate: Each project are NOT intended to	is looked at on an individual basis be exclusive.	s to determine if any appeats of	this category apply. Examples given above
Noes the project help	meet the infrastructure repair ority listing (part of the Additional	and replacement needs of the	e applying jurisdiction?
		oupport intormation) must be it	ned with application(z).
(25) First priority p		/.×	Appeal Score
	project	(5)	
20 - Second priority			
	project		

The jurisdiction <u>must</u> submit a listing in priority order of the projects for which it is applying. Points will be awarded on the basis of most to least importance. The form is included in the Additional Support Information.

(10)— Less than 10% 9 – 10% to 19.99%		•
8 – 20% to 29.99%		Appeal Sco
7 – 30% to 39.99%	,	Appear Sco
6 – 40% to 49.99%		
5 – 50% to 59.99%	( >	
4 – 60% to 69.99%	(19)	
3 – 70% to 79.99%		
2 – 80% to 89.99%		
1 90% to 95% 0 Above 95%		

#### Criterion 5 - User Fee-funded Agency Participation

To what extent will a user fee funded agency be participating in the funding of the project? (Example: rates for water or sewer, frontage assessments, etc.). The applying jurisdiction must submit documentation.

6) Economic Growth - How the completed project will enhance economic growth (See definitions).

10 – The project will <u>directly</u> secure new employment	Appeal Score
5 - The project will permit more development	- Pp-m 54515
(d) The project will not impact development	
• • •	

#### Criterion 6 - Economic Growth

Will the completed project enhance economic growth and/or development in the service area?

#### Definitions:

Secure new employment: The project as designed will secure development/employers, which will immediately add new permanent employees to the jurisdiction. The applying agency must submit details.

Permit more development: The project as designed will permit additional business development/employment. The applicant must supply details.

The project will not impact development: The project will have no impact on business development.

Note: Each project is looked at on an individual basis to determine if any aspects of this category apply.

7) Matching Funds - LOCAL

0 - Less than 10%

10 - This project is a loan or o	redit enhancement	_
:10 - 50% or higher	2	+-* -
8 – 40% to 49.99%	List total percentage of "Local" funds 30 %	en e
6 30% to 39.99%	and the production of the prod	na kana a Saka garay kanadar
4 – 20% to 29,99%	1	
2-10% to 19.99%		

#### Criterion 7 - Matching Funds - Local

The percentage of matching funds which come directly from the budget of the applying agency. Ten points shall be awarded if a loan request is at least 50% of the total project cost. (If the applying agency is not a user fee funded agency, any funds to be provided by a user fee generating agency will be considered "Matching Funds – Other")

) '	Matching Funds - OTHER	List total percentage of "Other" funds%		
	10 – 50% or higher 8 – 40% to 49.99% 6 – 30% to 39.99%	List below each funding source and percentage%		
	4 – 20% to 29.99% 2 – 10% to 19.99% 1 – 1% to 9.99% 0 Less than 1%			
	Criterion 9 Matchine E. J. Cu			

#### Criterion 8 - Matching Funds - Other

The percentage of matching funds that come from funding sources other than those mentioned in Criterion 7. A letter from the outside funding agency stating their financial participation in the project and the amount of funding is required to receive points. For MRF, a copy of the current application form filed with the Hamilton County Engineer's Office meets the requirement.

- 9) Will the project alleviate serious capacity problems or hazards or respond to the future level of service needs of the district? (See Addendum for definitions)
  - 10 Project design is for future demand.
  - 8 Project design is for partial future demand.
  - 6 Project design is for current demand.
  - 4 Project design is for minimal increase in capacity.

    2 Project design is for no increase in capacity.

STRESSING APPEALS Appeal Score

STRESSING AND LOS

ONES TOT GOVERNMENT OF THE PLANT OF THE PLANT

#### Criterion 9 - Alleviate Capacity Problems

The jurisdiction shall provide a narrative, along with pertinent support documentation, which describe the existing deficiencies and showing how congestion will be reduced or eliminated and how service will be improved to meet the needs of any expected growth or development. A formal capacity analysis accompanying the application would be beneficial. Projected traffic or demand should be calculated as follows:

#### Formula:

Existing users x design year factor = projected users

Design Year	Design year factor		
	<u>Urban</u>	Suburban	Rural
20	1.40	1.70	1.60
10	1.20	1.35	1.30

#### Definitions:

Future demand — Project will eliminate existing congestion or deficiencies and will provide sufficient capacity or service for twenty-year projected demand or fully developed area conditions. Justification must be supplied if the area is already largely developed or undevelopable and thus the projection factors used deviate from the above table.

Partial future demand — Project will eliminate existing congestion or deficiencies and will provide sufficient capacity or service for ten-year projected demand or partially developed area conditions. Justification must be supplied if the area is already largely developed or undevelopable and thus the projection factors used deviate from the above table.

Current demand - Project will eliminate existing congestion or deficiencies and will provide sufficient capacity or service only for existing demand and conditions.

Minimal increase – Project will reduce but not eliminate existing congestion or deficiencies and will provide a minimal but less than sufficient increase in existing capacity or service for existing demand and conditions.

<u>No increase</u> – Project will have no effect on existing congestion or deficiencies and provide no increase in capacity or service for existing demand and conditions.

10)	Readiness to Proceed - If SCIP/LTIP funds are granted, when would the construction contract be awar	rded? (See Addendum
	concerning delinquent projects and readiness to proceed)	
		· -

Will be under contract by December 31, 2006 and no delinquent projects in Rounds 17 & 18

3 - Will be under contract by March 31, 2007 and/or one delinquent project in Rounds 17 & 18

0 - Will not be under contract by March 31, 2007 and/or more than one delinquent project in Rounds 17 & 18

#### Criterion 10 - Readiness to Proceed

The Support Staff will assign points based on engineering experience and status of design plans. A project is considered delinquent when it has not received a notice to proceed within the time stated on the original application and no time extension has been granted by the OPWC. A jurisdiction receiving approval for a project and subsequently canceling the same after the bid date on the application will receive zero (0) points under this round and the following round, unless a variance is approved by the Integrating Committee.

Appeal Score

Does the infrastructure have regional impact? Consider origination and destination of traffic, functional classifications, size of service area, and number of jurisdictions served, etc. (See Addendum for definitions)

10 - Major Impact

8 - Significant Impact

6 Moderate Impact

4 - Minor Impact

2 - Minimal or No Impact

#### Criterion 11 - Regional Impact

The regional significance of the infrastructure that is being repaired or replaced.

#### Definitions:

Major Impact – Roads: Major Arterial: A direct connector to an Interstate Highway; Arterials are intended to provide a greater degree of mobility rather than land access. Arterials generally convey large traffic volumes for distances greater than one mile. A major arterial is a highway that is of regional importance and is intended to serve beyond the county. It may connect urban centers with one another and/or with outlying communities and employment or shopping centers. A major arterial is intended primarily to serve through traffic.

Significant Impact – Roads: Minor Amerial: A roadway, also serving through traffic, that is similar in function to a major arterial, but operates with lower traffic volumes, serves trips of shorter distances (but still greater than one mile), and may provide a higher degree of property access than do major arterials.

Moderate impact.—Roads: Major Collector: A roadway that provides for traffic movement between local roads/streets and enteries or community-wide activity centers and carries moderate traffic volumes oversmoderate distances (generally tens that one mile). Major collectors may also provide direct access to abutting properties, such as regional shopping centers, large industrial parks, major subdivisions and community-wide recreational facilities, but typically not individual residences. Most major collectors are also county roads and are therefore through treets.

Minor Impact – Roads: Minor Collector: A road way similar in functions to a major collector but which carries lower traffic volumes over shorter distances and has a higher degree of property access. Minor collectors may serve as main circulation streets within large, residential neighborhoods. Most minor collectors are also township roads and streets and may, or may not, be through streets.

Minimal or No Impact - Roads: Local: A roadway that is primarily intended to provide access to abutting properties. It tends to accommodate lower traffic volumes, serves short trips (generally within neighborhoods), and provides connections preferably only to collector streets rather than arterials.

14)	what is the overall economic health of the jurisdiction?	
	10 Points 8 Points 6 Points 4 Points 2 Points	
	Criterion 12 – Economic Health The District 2 Integrating Committee predetermines the jurisdiction's economic health. The economic periodically be adjusted when census and other budgetary data are updated.	πic health of a jurisdiction may
13)	Has any formal action by a federal, state, or local government agency resulted in a partial or expansion of the usage for the involved infrastructure?	complete ban of the usage or
	10 - Complete ban, facility closed 8 - 80% reduction in legal load or 4-wheeled vehicles only 7 - Moratorium on future development, not functioning for current demand 6 - 60% reduction in legal load 5 - Moratorium on future development, functioning for current demand 4 - 40% reduction in legal load 2 - 20% reduction in legal load  Criterion 13 - Ban The jurisdiction shall provide documentation to show that a facility ban or moratorium has been fo moratorium must have been caused by a structural or operational problem. Points will only be away project will cause the ban to be lifted.	Appeal Score
14)	What is the total number of existing daily users that will benefit as a result of the proposed pro	oject?
₹	10 716,000 or more 8- 12,000 to 15,999 6- 8,000 to 11,999 4- 4,000 to 7,999 2- 3,999 and under	Appeal Score
	Criterion 14 - Users  The applying jurisdiction shall provide documentation. A registered professional engineer or the accertify the appropriate documentation. Documentation may include current traffic counts, househ measurement of persons. Public transit users are permitted to be counted for the roads and bridges, be figures are provided.	olds served, when converted to a
15)	Has the jurisdiction enacted the optional \$5 license plate fee, an infrastructure levy, a user fee, pertinent infrastructure? (Provide documentation of which fees have been enacted.)	or dedicated tax for the
	Two or more of the above  3 - One of the above  0 - None of the above	Appeal Score

Criterion 15 – Fees, Levies, Etc.

The applying jurisdiction shall document (in the "Additional Support Information" form) which type of fees, levies or taxes they have dedicated toward the type of infrastructure being applied for.